



PPS International has developed a fully insulated Modular Cantilever System, which does not require any insulator, Anti-Bird Disk, Compression Clamp etc, hence the short circuiting due to falling of foreign objects on the cantilevers is fully avoided.


All the Tubes of Aluminium has been replaced with a high strength and sturdy FRP tubes, thereby increasing the creepage distance upto 3 mtrs.

The size of the FRP pipes have been kept same as the present aluminum pipe of MCS so that all the fittings can be used as it.

The present Aluminium tubes of MCS can be replaced by FRP tubes at a nominal cost to make the cantilevers fully insulated in which the insulators can be removed completely, which causes frequent failures due to puncture of insulators, claws of birds or by monkey bite etc.

Advantages of FRP Tubes over Aluminium Tubes


- Increased creepage distance
- · Higher strength than aluminium material
- No rusting or corrosion, hence long life.
- Same OD as Aluminium pipes.
- All fittings are same as present MCS.
- Fully type tested as per EN standards.























5

Double Tube Holder 55-70 Assembly



Plastic Cap Ø70



Hook Clip Assembly



FRP Tubes Ø55



Registration Arm Dropper



Catenary Wire Support D-55 Assembly with Bimetallic Sleeve



Steady Arm Bracket Assembly



Eye Clamp for Windstay Assembly



FRP Tubes Ø70





Contact Wire Clip

UNIT-1 Corporate Office



UNIT-2 Factory



UNIT-3 Factory





Unit 1 Corporate Office:-Plot No-32, Udyog kendra Ecotech- III, Greater Noida UP- 201308 Unit 2 :-Plot No-85, Ecotech - XII Greater Noida UP- 201306 Unit 3 :-Plot No-116C, Ecotech - XII Greater Noida UP- 201306

Phone Number: +91-8800776682 Email: info@ppsinternational.in Website: www.ppsinternational.in

Revision:- 3.0 2 /2025